

### SECTION 1: Identification of the hazardous chemical and of the supplier

#### 1.1. Product identifier

Name : AS-2507 Epoxy Moisture Barrier Part B

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

No additional information available

#### 1.4. Supplier's details

##### Manufacturer

 Alseal Marketing Sdn. Bhd.  
 No.86, Jalan Industri 3/3,  
 Rawang Integrated Industrial Park,  
 48000 Rawang, Selangor, Malaysia.  
 T +603-60942088 - F +603-60992930  
[info@alsealmarketing.com](mailto:info@alsealmarketing.com)

#### 1.5. Emergency phone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the hazardous chemical

##### Classification according to Industry Code of Practice on chemicals classification and hazard communication (2014)

Skin Corr. 1A H314

Eye Dam. 1 H318

Skin Sens. 1 H317

#### 2.2. Label elements

##### Labelling according to Industry Code of Practice on chemicals classification and hazard communication (2014)

Hazard pictograms (GHS MY) :



Signal word (GHS MY) : Danger

Contains : 3,6-DIAZAOCTANETHYLENEDIAMINE

 Hazard statements (GHS MY) : H314 - Causes severe skin burns and eye damage.  
 H317 - May cause an allergic skin reaction

 Precautionary statements (GHS MY) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P264 - Wash hands, forearms and face thoroughly after handling.  
 P272 - Contaminated work clothing should not be allowed out of the workplace  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### 2.3. Other hazards not contributing to the classification

No additional information available

### SECTION 3: Composition and information of the ingredients of the hazardous chemical

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Industry Code of Practice on chemicals classification and hazard communication (2014)
3,6-DIAZAOCTANETHYLENEDIAMINE	(CAS-No.) 112-24-3	1 – 10	Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412
M-XYLYLENEDIAMINE	(CAS-No.) 1477-55-0	1 – 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312

# AS-2507 Epoxy Moisture Barrier Part B

## Safety Data Sheet

According to ICOP 2014

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment : Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.  
EAC code : 2X

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### Exposure limit values for the other components

No additional information available

#### 8.2. Monitoring

No additional information available

#### 8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

# AS-2507 Epoxy Moisture Barrier Part B

## Safety Data Sheet

According to ICOP 2014

### 8.4. Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



Environmental exposure controls : Avoid release to the environment.

## SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Light grey
Odour	: Amine-like
Odour threshold	: No data available
pH	: No data available
Melting point, Freezing point	: Melting point: Not applicable
Boiling point	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Explosive limits	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Relative density: $\approx 1.16$
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

## SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport
Chemical stability	: Stable under normal conditions
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use
Conditions to avoid	: None under recommended storage and handling conditions (see section 7)
Incompatible materials	: No data available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

# AS-2507 Epoxy Moisture Barrier Part B

## Safety Data Sheet

According to ICOP 2014

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

<b>M-XYLYLENE DIAMINE (1477-55-0)</b>	
LD50 oral rat	980 mg/kg
LD50 dermal	2000 mg/kg

Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

### 12.2. Persistence and degradability

<b>AS-2507 Epoxy Moisture Barrier Part B</b>	
Persistence and degradability	No additional information available

### 12.3. Bioaccumulative potential

<b>AS-2507 Epoxy Moisture Barrier Part B</b>	
Bioaccumulative potential	No additional information available

### 12.4. Mobility in soil

<b>AS-2507 Epoxy Moisture Barrier Part B</b>	
Mobility in soil	No additional information available

### 12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

## SECTION 13: Disposal information

### 13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---

## SECTION 14: Transportation information

### 14.1. UN number

UN-No. (UN RTDG)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: 2735

### 14.2. Proper Shipping Name

Proper Shipping Name (UN RTDG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Polyamines, liquid, corrosive, n.o.s.

# AS-2507 Epoxy Moisture Barrier Part B

## Safety Data Sheet

According to ICOP 2014

### 14.3. Transport hazard class(es)

#### UN RTDG

Transport hazard class(es) (UN RTDG) : Not applicable

#### IMDG

Transport hazard class(es) (IMDG) : Not applicable

#### IATA

Transport hazard class(es) (IATA) : 8

Danger labels (IATA) : 8



### 14.4. Packing group

Packing group (UN RTDG) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : II

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - UN RTDG

No data available

#### - IMDG

No data available

#### - IATA

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y840

PCA limited quantity max net quantity (IATA) : 0.5L

PCA packing instructions (IATA) : 851

PCA max net quantity (IATA) : 1L

CAO packing instructions (IATA) : 855

CAO max net quantity (IATA) : 30L

Special provisions (IATA) : A3, A803

ERG code (IATA) : 8L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### 14.8. Hazchem or Emergency Action Code

EAC code : 2X.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

# AS-2507 Epoxy Moisture Barrier Part B

## Safety Data Sheet

According to ICOP 2014

Version : 1.0  
Issue date : 09/02/2021

### Full text of H-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
H302	Harmful if swallowed.
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), Malaysia

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*