

# AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)  
Issue date: 8/20/2021 Revision date: 7/23/2022 Supersedes: 7/15/2022 Version: 1.3

### SECTION 1: Identification

#### 1.1. GHS Product identifier

Product form : Mixture  
Product name : AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant  
UN-No. (ADR) : 1133  
Product group : Trade product

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Sealants  
Recommended use : Sealants

#### 1.4. Supplier's details

##### Manufacturer

Alseal Marketing Sdn. Bhd.  
Lot 53, Jalan Industri 2/2, Rawang Integrated Industrial Park,  
48000 Rawang, Selangor, Malaysia.  
T +603-60942088 - F +603-60992930

#### 1.5. Emergency phone number

No additional information available

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification according to the United Nations GHS

Flammable liquids, Category 2	H225	Calculation method
Serious eye damage/eye irritation, Category 2	H319	Calculation method
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336	Calculation method
Hazardous to the aquatic environment – Acute Hazard, Category 3	H402	Calculation method
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412	Calculation method

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects : May cause drowsiness or dizziness, Causes serious eye irritation, Harmful to aquatic life, Harmful to aquatic life with long lasting effects.

#### 2.2. GHS Label elements, including precautionary statements

##### Labelling according to the United Nations GHS

Hazard pictograms (GHS UN) :



Signal word (GHS UN) : Danger  
Hazardous ingredients : HYDROCARBONS, C7-C9, N-ALKANES, ISOALKANES, CYCLICS; methyl acetate  
Hazard statements (GHS UN) : H225 - Highly flammable liquid and vapour  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H412 - Harmful to aquatic life with long lasting effects  
Precautionary statements (GHS UN) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.

# AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

P233 - Keep container tightly closed.  
P240 - Ground and bond container and receiving equipment.  
P241 - Use explosion-proof equipment.  
P242 - Use non-sparking tools.  
P243 - Take action to prevent static discharges.

### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
methyl acetate	CAS-No.: 79-20-9	10 – 30	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
HYDROCARBONS, C7-C9, N-ALKANES, ISOALKANES, CYCLICS	CAS-No.: 64742-49-0	1 – 10	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

## SECTION 4: First-aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.  
Symptoms/effects after eye contact : Eye irritation.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Water spray.

### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

# AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### 5.3. Special protective actions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and materials for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### methyl acetate (79-20-9)

##### USA - ACGIH - Occupational Exposure Limits

Local name	Methyl acetate
ACGIH TWA (ppm)	200 ppm
ACGIH STEL (ppm)	250 ppm
Remark (ACGIH)	TLV® Basis: Headache; dizziness; nausea; eye dam (degeneration of ganglion cells in the retina)
Regulatory reference	ACGIH 2021

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

# AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s)



### 8.4. Exposure limit values for the other components

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste
Colour	: light brown.
Odour	: Characteristic odour.
Odour threshold	: Not available
Melting point	: No data available
Freezing point	: Not available
Boiling point	: > 57 °C
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: < 23 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: Not available
pH	: No data available
pH solution	: Not available
Viscosity, kinematic (calculated value) (40 °C)	: > 40 mm²/s
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: ≈ 1.22
Relative vapour density at 20°C	: No data available
Solubility	: Not available
Particle size	: Not applicable

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

# AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### HYDROCARBONS, C7-C9, N-ALKANES, ISOALKANES, CYCLICS (64742-49-0)

LD50 oral rat	5840 mg/kg
LD50 dermal rat	2920 mg/kg bodyweight

#### methyl acetate (79-20-9)

LD50 oral rat	≈ 6482 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 49.2 mg/l

Skin corrosion/irritation : Not classified  
pH: No data available  
Serious eye damage/irritation : Causes serious eye irritation.  
pH: No data available  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : May cause drowsiness or dizziness.

#### HYDROCARBONS, C7-C9, N-ALKANES, ISOALKANES, CYCLICS (64742-49-0)

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

#### methyl acetate (79-20-9)

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified

#### AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant

Viscosity, kinematic	> 40 mm²/s
----------------------	------------

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

# AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Hazardous to the aquatic environment, short-term (acute) : Harmful to aquatic life.

Classification procedure (Hazardous to the aquatic environment, short-term (acute)) : Calculation method

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Classification procedure (Hazardous to the aquatic environment, long-term (chronic)) : Calculation method

### HYDROCARBONS, C7-C9, N-ALKANES, ISOALKANES, CYCLICS (64742-49-0)

LC50 fish 1	3 – 10 mg/l
EC50 other aquatic organisms 1	4.6 – 10 mg/l

### 12.2. Persistence and degradability

#### AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant

Persistence and degradability	No additional information available
-------------------------------	-------------------------------------

### 12.3. Bioaccumulative potential

#### AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant

Bioaccumulative potential	No additional information available
---------------------------	-------------------------------------

### 12.4. Mobility in soil

#### AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant

Mobility in soil	No additional information available
------------------	-------------------------------------

### 12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---

## SECTION 14: Transport information



In accordance with UN RTDG / IMDG / IATA

UN RTDG	IMDG	IATA
<b>14.1. UN number</b>		
Not applicable	1133	1133
<b>14.2. UN Proper Shipping Name</b>		
Not applicable	ADHESIVES	Adhesives
<b>Transport document description</b>		
Not applicable	UN 1133 ADHESIVES, 3, II	UN 1133 Adhesives, 3, II
<b>14.3. Transport hazard class(es)</b>		
Not applicable	3	3

# AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

UN RTDG	IMDG	IATA
		
<b>14.4. Packing group</b>		
Not applicable	II	II
<b>14.5. Environmental hazards</b>		
Not applicable	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		

### 14.6. Special precautions for user

#### UN RTDG

Not applicable

#### IMDG

Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP8
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG)	: B
Properties and observations (IMDG)	: Adhesives are solutions of gums, resins, etc., usually volatile due to the solvents. Miscibility with water depends upon their composition.

#### IATA

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

### 14.7. Transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

## SECTION 16: Other information

Issue date	: 8/20/2021
Revision date	: 7/23/2022
Supersedes	: 7/15/2022

# AS-1233 / AS-1233S Green Nails Construction Adhesive Sealant

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### Abbreviations and acronyms

: CAS-No. - Chemical Abstract Service number  
ATE - Acute Toxicity Estimate  
EC50 - Median effective concentration  
EC-No. - European Community number  
IATA - International Air Transport Association  
IMDG - International Maritime Dangerous Goods  
LC50 - Median lethal concentration  
LD50 - Median lethal dose  
LOAEL - Lowest Observed Adverse Effect Level  
N.O.S. - Not Otherwise Specified  
NOAEC - No-Observed Adverse Effect Concentration  
NOAEL - No-Observed Adverse Effect Level  
NOEC - No-Observed Effect Concentration  
OEL - Occupational Exposure Limit  
SDS - Safety Data Sheet

Full text of H-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), UN

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.